

circ  
#  
29  
E.P.  
PATENT

UNITED STATES PATENT AND TRADEMARK OFFICE

Inventor: Stephen W. Haines )

Patent No.: 4,832,685 )

Issued: May 23, 1989 )

For: **FLUID FLOW CONTROL SYSTEM  
AND CONNECTING FITTING  
THEREFOR** )

Docket No.: M02 41829 )

**CERTIFICATE**

MAY 24 1999

**OF CORRECTION**

**REQUEST FOR CERTIFICATE OF CORRECTION**

CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited with the United States Postal Service on the date shown below with sufficient postage as first class mail in an envelope addressed to the: Assistant Commissioner for Patents, Certificate of Correction Branch, Washington, DC 20231.

Date: May 13, 1999

*Laura A. Brown*  
Laura A. Brown

May 10, 1999

444 South Flower Street, 19<sup>th</sup> Floor  
Los Angeles, California 90071-2909

**APPROVED**

Assistant Commissioner for Patents  
Certificate of Correction Branch  
Washington, DC 20231

*Mary J. Quinn*  
AUG 24 1999  
FOR THE COMMISSIONER OF PAT & TM

Sir:  
00000010 4832685

05/18/1999 SSANDARI

01 FC:145

100.00.00

Upon reviewing the above-identified patent, patentee(s) noted certain errors of a clerical or typographical nature or of a minor character in the claims which should be corrected. These errors are found in the application as filed by Applicant. Accordingly, enclosed is a check for \$100.00 for payment of the fee as required by 37 C.F.R. § 1.20(a). Please charge any

for \$100.00 for payment of the fee as required by 37 C.F.R. § 1.20(a). Please charge any additional required fees or credit overpayment to Deposit Account No. 16-2460. A duplicate copy of this sheet is enclosed.

In Claim 13, lines 19-20, "pressure relief fluid conduit" should read  
--pressure-sensitive transducer--.


In Claim 22, line 13, "pressure relief fluid conduit" should read  
--pressure-sensitive transducer--.

It is evident after a review of the specification and drawings as filed, especially column 7, lines 41-49 and Fig. 3, that "pressure-sensitive transducer" was intended. The errors now sought to be corrected were clearly inadvertent and the correction of these errors does not involve new matter or require reexamination. Accordingly, a Certificate of Correction is requested.

The proposed Certificate of Correction correcting such errors is enclosed.

It is believed that the issuance of a Certificate of Correction is necessary to correct these errors. However, if the Patent and Trademark Office rules that a Certificate of Correction is not required, it is requested that this letter be entered into the patent file and the patentee(s) so notified.

Respectfully submitted,

  
Robert A. Schroeder  
Registration No. 25,373

(213) 622-7700  
Enclosures

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 4,832,685

DATED : May 23, 1989

INVENTOR(S) : Stephen W. Haines

It is certified that error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

At Column 9, Lines 19 and 20, the portion of claim 13 reading "pressure relief fluid conduit" should read --pressure-sensitive transducer --.

At Column 11, Line 13, the portion of claim 29 reading "pressure relief fluid conduit" should read --pressure-sensitive transducer --.

BEST AVAILABLE COPY